Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



February 22, 2021

Joseph Cantu Bison Extracts Inc 1420 S. Joplin Tulsa, OK 74112

TEL: (918) 830-4392

FAX:

RE: Glittles Cannabis Order No.: 2102235

Dear Joseph Cantu:

Green Country Testing, Inc. received 1 sample(s) on 2/8/2021 for the analyses presented in the following report.

In accordance with your instructions, Green Country Testing conducted the analysis shown on the following pages on samples submitted by your company. The results relate only to the items tested. Unless otherwise noted, all analysis were conducted using lab approved methodologies. All sampling was conducted by the client. This report shall not be reproduced except in full, without the written approval of Green Country Testing, Inc.. The PL Column on the report refers to the Permissible Limit from OOMA.

Certifications/Accreditation: OMMA# LAAA-AYUG-T2AU - OBN # 61696 - A2LA Certificate # 5537.01

Total THC Concentration = $(THCA \times 0.877) + THC$ Total CBD Concentration = $(CBDA \times 0.877) + CBD$

A scope of Certified/Accredited parameters is available upon request. If you have any questions regarding these tests results, please feel free to call.

Sincerely,

B

Brian Duzan Laboratory Director Green Country Testing, Inc. 6825 E 38th Street

Tulsa, OK 74145

TEL: 918-828-9977 FAX: 918-828-7756 Website: www.greencountrytesting.com



Analytical Report

(wastewater)

WO#: 2102235 Date Reported: 2/22/2021

Matrix: CANNABIS

CLIENT: Collection Date: 2/8/2021 3:43:00 PM Bison Extracts Inc

Project: Glittles Cannabis Lab ID: 2102235-001

Client Sample ID: Glittles - Batch #2694

Sample Location:

Initial Weight or Volume	yses	Result	PQL Qual	Units	DF	PL	Date Analyzed
Final Weight or Volume 54.8 0 g 1 2/9/2021 10 CANNABIS FULL PANEL W/PESTICIDES HEAVY METALS BY ICP - N SOP-4 - Activation Arsenic Pass 0.193 ppm 1 0.200 2/12/2021 1 Cadmium Pass 0.193 ppm 1 0.200 2/12/2021 1 Lead Pass 0.482 ppm 1 0.500 2/12/2021 1 Mercury Pass 0.482 ppm 1 0.100 2/12/2021 1 CANNABIS FULL PANEL W/PESTICIDES SOP-7 - ASP ASP - ASP CANNABIS MICROBIALS - N Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus flavus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus fumigatus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 STEC E. co				E	BALANCE		Analyst: AC
Final Weight or Volume 54.8 0 g 1 2/9/2021 10 CANNABIS FULL PANEL W/PESTICIDES HEAVY METALS BY ICP - N SOP-4 - Action Arsenic Pass 0.193 ppm 1 0.200 2/12/2021 1 Cadmium Pass 0.193 ppm 1 0.200 2/12/2021 1 Lead Pass 0.482 ppm 1 0.500 2/12/2021 1 Mercury Pass 0.0963 ppm 1 0.100 2/12/2021 1 CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N SOP-7 - Action of the country of the count	itial Weight or Volume	62.1	0	g	1		2/9/2021 10:32:00 AM
Arsenic Pass 0.193 ppm 1 0.200 2/12/2021 1 Cadmium Pass 0.193 ppm 1 0.200 2/12/2021 1 Lead Pass 0.482 ppm 1 0.500 2/12/2021 1 Mercury Pass 0.0963 ppm 1 0.100 2/12/2021 1 CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N Aspergillus flavus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus fumigatus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus reger Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 Salmonella Pass 0 CFU/g 1 0.900 2/15/2021 1 STEC E. coli Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 0.900 2/15/2021 1 CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N Abamectin Pass 0.0191 ppm 1 0.500 2/13/2021 1 Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1	al Weight or Volume	54.8	0		1		2/9/2021 10:32:00 AM
Cadmium Pass 0.193 ppm 1 0.200 2/12/2021 1 Lead Pass 0.482 ppm 1 0.500 2/12/2021 1 Mercury Pass 0.0963 ppm 1 0.500 2/12/2021 1 CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus flavus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus fumigatus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus niger Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 Salmonella Pass 0 CFU/g 1 0.900 2/15/2021 1 STEC E. coli Pass 0 CFU/g 1 0.900 2/15/2021 1 CANNABIS FULL PANEL W/PESTICIDES Pass 0 <td></td> <td></td> <td></td> <td></td> <td>SOP-4</td> <td>-</td> <td>Analyst: KR</td>					SOP-4	-	Analyst: KR
Lead Pass 0.482 ppm 1 0.500 2/12/2021 1 Mercury Pass 0.0963 ppm 1 0.100 2/12/2021 1 CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N	senic	Pass	0.193	ppm	1	0.200	2/12/2021 12:22:00 PM
Mercury Pass 0.0963 ppm 1 0.100 2/12/2021 1 CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N SOP-7 - Asign and the pass of	dmium	Pass	0.193	ppm	1	0.200	2/12/2021 12:22:00 PM
CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N Aspergillus flavus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus niger Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus niger Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 Salmonella Pass 0 CFU/g 1 0.900 2/15/2021 1 STEC E. coli Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 1.000 2/15/2021 1 CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N Abamectin Pass 0.478 ppm 1 0.500 2/13/2021 1 Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Acoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	ad	Pass	0.482	ppm	1	0.500	2/12/2021 12:22:00 PM
Aspergillus flavus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus fumigatus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus fumigatus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus niger Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 Salmonella Pass 0 CFU/g 1 0.900 2/15/2021 1 STEC E. coli Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 0.900 2/15/2021 1 Abamectin Pass 0 CFU/g 1 0.900 2/15/2021 1 Aflatoxin B1 Pass 0.478 ppm 1 0.500 2/13/2021 1 Aflatoxin B2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalii Pass 0.191 ppm 1 0.200 2/13/2021 1	ercury	Pass	0.0963	ppm	1	0.100	2/12/2021 12:22:00 PM
Aspergillus fumigatus Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus niger Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 Salmonella Pass 0 CFU/g 1 0.900 2/15/2021 1 STEC E. coli Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 0.900 2/15/2021 1 CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N Abamectin Pass 0.478 ppm 1 0.500 2/13/2021 1 Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Agoxystrobin Pass 0.191 ppm 1 0.0200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalii Pass 0.191 ppm 1 0.200 2/13/2021 1					SOP-7	-	Analyst: KP
Aspergillus niger Pass 0 CFU/g 1 0.900 2/15/2021 1 Aspergillus terreus Pass 0 CFU/g 1 0.900 2/15/2021 1 Salmonella Pass 0 CFU/g 1 0.900 2/15/2021 1 STEC E. coli Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 0.900 2/15/2021 1 CANNABIS FULL PANEL W/PESTICIDES PESTICIDE S PESTICIDE RESIDUE IN CANNABIS - N Abamectin Pass 0.478 ppm 1 0.500 2/13/2021 1 Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin B2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Agoxystrobin Pass 0.191 ppm 1 0.0200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	pergillus flavus	Pass	0	CFU/g	1	0.900	2/15/2021 11:37:00 AM
Aspergillus terreus Pass O CFU/g 1 0.900 2/15/2021 1 Salmonella Pass O CFU/g 1 0.900 2/15/2021 1 STEC E. coli Pass O CFU/g 1 0.900 2/15/2021 1 STEC E. coli Pass O CFU/g 1 0.900 2/15/2021 1 CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N Abamectin Aflatoxin B1 Aflatoxin B2 Aflatoxin B2 Aflatoxin G1 Aflatoxin G1 Aflatoxin G2 Azoxystrobin Pass D.0191 Pass D.0191 Ppm D.0200 2/13/2021 1 Aflatoxin G2 Azoxystrobin Pass D.0191 Pass D.0191 Ppm D.0200 2/13/2021 1 D.0200 2/13/2021 1 D.0200 2/13/2021 1 Assocystrobin Pass D.0191 Ppm D.0200 2/13/2021 1	pergillus fumigatus	Pass	0	CFU/g	1	0.900	2/15/2021 11:37:00 AM
Salmonella Pass 0 CFU/g 1 0.900 2/15/2021 1 STEC E. coli Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 10,000 2/15/2021 1 CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N SOP-2 - Al Abamectin Pass 0.478 ppm 1 0.500 2/13/2021 1 Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin B2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.0191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1	pergillus niger	Pass	0	CFU/g	1	0.900	2/15/2021 11:37:00 AM
STEC E. coli Pass 0 CFU/g 1 0.900 2/15/2021 1 Yeast and Mold Pass 0 CFU/g 1 0.900 2/15/2021 1 CANNABIS FULL PANEL W/PESTICIDES PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N SOP-2 - Anamedia Abamectin Pass 0.478 ppm 1 0.500 2/13/2021 1 Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin B2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalii Pass 0.191 ppm 1 0.200	pergillus terreus	Pass	0	CFU/g	1	0.900	2/15/2021 11:37:00 AM
Yeast and Mold Pass 0 CFU/g 1 10,000 2/15/2021 1 CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N SOP-2 - Adamectin Abamectin Pass 0.478 ppm 1 0.500 2/13/2021 1 Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin B2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 <td< td=""><td>Imonella</td><td>Pass</td><td>0</td><td>CFU/g</td><td>1</td><td>0.900</td><td>2/15/2021 11:37:00 AM</td></td<>	Imonella	Pass	0	CFU/g	1	0.900	2/15/2021 11:37:00 AM
CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N Abamectin Pass 0.478 ppm 1 0.500 2/13/2021 1 Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin B2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalii Pass 0.191 ppm 1 0.200 2/13/2021 1	EC E. coli	Pass	0	CFU/g	1	0.900	2/15/2021 11:37:00 AM
PESTICIDE RESIDUE IN CANNABIS - N Abamectin Pass 0.478 ppm 1 0.500 2/13/2021 1 Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin B2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	ast and Mold	Pass	0	CFU/g	1	10,000	2/15/2021 11:37:00 AM
Aflatoxin B1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin B2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1					SOP-2	-	Analyst: KP
Aflatoxin B2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	amectin	Pass	0.478	ppm	1	0.500	2/13/2021 1:09:00 AM
Aflatoxin G1 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	atoxin B1	Pass	0.0191	ppm	1	0.0200	2/13/2021 1:09:00 AM
Aflatoxin G2 Pass 0.0191 ppm 1 0.0200 2/13/2021 1 Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	atoxin B2	Pass	0.0191	ppm	1	0.0200	2/13/2021 1:09:00 AM
Azoxystrobin Pass 0.191 ppm 1 0.200 2/13/2021 1 Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	atoxin G1	Pass	0.0191	ppm	1	0.0200	2/13/2021 1:09:00 AM
Bifenazate Pass 0.191 ppm 1 0.200 2/13/2021 1 Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	atoxin G2	Pass	0.0191	ppm	1	0.0200	2/13/2021 1:09:00 AM
Etoxazole Pass 0.191 ppm 1 0.200 2/13/2021 1 Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	oxystrobin	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Imazalil Pass 0.191 ppm 1 0.200 2/13/2021 1	enazate	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
	oxazole	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
	azalil	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Imidacloprid Pass 0.382 ppm 1 0.400 2/13/2021 1	idacloprid	Pass	0.382	ppm	1	0.400	2/13/2021 1:09:00 AM

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- M Manual Integration used to determine area response
- PL Permit Limit
- Reporting Detection Limit

- Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits
- Sample container temperature is out of limit as specified at testcode

Green Country Testing, Inc. 6825 E 38th Street

0825 E 38th Street Tulsa, OK 74145

TEL: 918-828-9977 FAX: 918-828-7756 Website: www.greencountrytesting.com



Analytical Report

(wastewater)

WO#: **2102235**Date Reported: **2/22/2021**

Matrix: CANNABIS

CLIENT: Bison Extracts Inc Collection Date: 2/8/2021 3:43:00 PM

Project: Glittles Cannabis **Lab ID:** 2102235-001

Client Sample ID: Glittles - Batch #2694

Sample Location:

Analyses	Result	PQL Qu	al Units	DF	PL	Date Analyzed
CANNABIS FULL PANEL W/PESTICII PESTICIDE RESIDUE IN CANNABIS -				SOP-2	-	Analyst: KP
Malathion	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Myclobutanil	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Ochratoxin	Pass	0.0191	ppm	1	0.0200	2/13/2021 1:09:00 AM
Permethrin-cis	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Permethrin-trans	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Spinosyn A	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Spinosyn D	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Spiromesifen	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Spirotetramat	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Tebuconazole	Pass	0.382	ppm	1	0.400	2/13/2021 1:09:00 AM
Total Permethrin	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
Total Spinosad	Pass	0.191	ppm	1	0.200	2/13/2021 1:09:00 AM
CANNABIS FULL PANEL W/PESTICII POTENCY IN EDIBLES - N	DES			SOP-1	-	Analyst: JR
Cannabidiol (CBD)	< 0.519	0.519	mg	62.1		2/10/2021 10:08:00 AM
Cannabidiolic Acid (CBDA)	< 0.519	0.519	mg	62.1		2/10/2021 10:08:00 AM
Cannabigerol (CBG)	< 0.519	0.519	mg	62.1		2/10/2021 10:08:00 AM
Cannabigerolic Acid (CBGA)	< 0.519	0.519	mg	62.1		2/10/2021 10:08:00 AM
Cannabinol (CBN)	< 0.519	0.519	mg	62.1		2/10/2021 10:08:00 AM
Tetrahydrocannabinol (THC)	166	0.519	mg	62.1		2/10/2021 10:08:00 AM
Tetrahydrocannabinolic Acid (THCA)	18.1	0.519	mg	62.1		2/10/2021 10:08:00 AM
THC - Delta 8	< 0.519	0.519	mg	62.1		2/10/2021 10:08:00 AM
Total CBD	< 0.519	0.519	mg	62.1		2/10/2021 10:08:00 AM
Total CBG	< 0.519	0.519	mg	62.1		2/10/2021 10:08:00 AM
Total THC	182	0.519	mg	62.1		2/10/2021 10:08:00 AM
CANNABIS FULL PANEL W/PESTICII RESIDUAL SOLVENTS IN CANNABIS	_			SOP-3	-	Analyst: BW [
Acetone	Pass	962	ppm	1	1,000	2/11/2021 11:00:00 AM
Benzene	Pass	1.92	ppm	1	2.00	2/11/2021 11:00:00 AM
Ethanol	Pass	4,810	ppm	1	5,000	2/11/2021 11:00:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- M Manual Integration used to determine area response
- PL Permit Limit
- RL Reporting Detection Limit

- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- W Sample container temperature is out of limit as specified at testcode

Green Country Testing, Inc. 6825 E 38th Street

Tulsa, OK 74145

TEL: 918-828-9977 FAX: 918-828-7756

Website: www.greencountrytesting.com



Analytical Report

(wastewater)

WO#: 2102235 Date Reported: 2/22/2021

Matrix: CANNABIS

CLIENT: Collection Date: 2/8/2021 3:43:00 PM Bison Extracts Inc

Project: Glittles Cannabis 2102235-001 Lab ID:

Client Sample ID: Glittles - Batch #2694

Sample Location:

Analyses	Result	PQL Qua	al Units	DF	PL	Date Analyzed
CANNABIS FULL PANEL W/PESTICI RESIDUAL SOLVENTS IN CANNABIS				SOP-3	-	Analyst: BWI
Heptane	Pass	962	ppm	1	1,000	2/11/2021 11:00:00 AM
Hexane	Pass	57.7	ppm	1	60.0	2/11/2021 11:00:00 AM
Isobutane	Pass	962	ppm	1	1,000	2/11/2021 11:00:00 AM
Isopropyl alcohol	Pass	962	ppm	1	1,000	2/11/2021 11:00:00 AM
m&p-Xylene	Pass	413	ppm	1	1,000	2/11/2021 11:00:00 AM
Methanol	Pass	577	ppm	1	600	2/11/2021 11:00:00 AM
n-Butane	Pass	962	ppm	1	1,000	2/11/2021 11:00:00 AM
o-Xylene	Pass	413	ppm	1	1,000	2/11/2021 11:00:00 AM
Pentane	Pass	962	ppm	1	1,000	2/11/2021 11:00:00 AM
Propane	Pass	962	ppm	1	1,000	2/11/2021 11:00:00 AM
Toluene	Pass	173	ppm	1	180	2/11/2021 11:00:00 AM
Total Butane	Pass	962	ppm	1	1,000	2/11/2021 11:00:00 AM
Total xylenes	Pass	413	ppm	1	430	2/11/2021 11:00:00 AM
CANNABIS FULL PANEL W/PESTICI TERPENES IN CANNABIS - N	DES			SOP-5	-	Analyst: BWI
(-)-alpha-Bisabolol	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
(-)-beta-Pinene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
(-)-Guaiol	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
(-)-Isopulegol	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
1,8-Cineole	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
alpha-Humulene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
alpha-Ocimene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
alpha-Pinene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
alpha-Terpinene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
beta-Caryophyllene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
beta-Myrcene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
beta-Ocimene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
Camphene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
Caryophyllene oxide	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
cis-Nerolidol	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM
delta-3-Carene	< 43.5	43.5	ppm	1		2/11/2021 3:33:56 PM

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- M Manual Integration used to determine area response
- PL Permit Limit
- Reporting Detection Limit

- Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits
- Sample container temperature is out of limit as specified at testcode

Green Country Testing, Inc.
6825 E 38th Street
Tulsa OK 74145

Tulsa, OK 74145 TEL: 918-828-9977 FAX: 918-828-7756 Website: www.greencountrytesting.com



Analytical Report

(wastewater)

WO#: **2102235**Date Reported: **2/22/2021**

Collection Date: 2/8/2021 3:43:00 PM

Matrix: CANNABIS

CLIENT: Bison Extracts Inc

Project: Glittles Cannabis **Lab ID:** 2102235-001

Client Sample ID: Glittles - Batch #2694

Sample Location:

Analyses	Result	PQL Qu	al Units	DF PL	Date Analyzed
CANNABIS FULL PANEL W/PES TERPENES IN CANNABIS - N	TICIDES		\$	SOP-5 -	Analyst: BW [
D-Limonene	< 43.5	43.5	ppm	1	2/11/2021 3:33:56 PM
gamma-Terpinene	< 43.5	43.5	ppm	1	2/11/2021 3:33:56 PM
Geraniol	< 43.5	43.5	ppm	1	2/11/2021 3:33:56 PM
Linalool	< 43.5	43.5	ppm	1	2/11/2021 3:33:56 PM
p-Isopropyltoluene	< 43.5	43.5	ppm	1	2/11/2021 3:33:56 PM
Terpinolene	< 43.5	43.5	ppm	1	2/11/2021 3:33:56 PM
Total Terpene Percentage	< 0	0	%	1	2/11/2021 3:33:56 PM
Total Terpenes	< 0	0	ppm	1	2/11/2021 3:33:56 PM
trans-Nerolidol	< 43.5	43.5	ppm	1	2/11/2021 3:33:56 PM
CANNABIS FULL PANEL W/PES VISUAL INSPECTION OF CANNA			ICROS	SCOPE 180	Analyst: AC
1/4 area Foreign Material	Pass	1.0	Each	1	2/10/2021 12:51:00 PM
1/4 area Mold	Pass	1.0	Each	1	2/10/2021 12:51:00 PM
1/4 area Soil / Dirt / Sand	Pass	1.0	Each	1	2/10/2021 12:51:00 PM
Excreta, Mammalian	Pass	1.0	Each	1	2/10/2021 12:51:00 PM
Hair, Human	Pass	1.0	Each	1	2/10/2021 12:51:00 PM
Hair, Rodent	Pass	1.0	Each	1	2/10/2021 12:51:00 PM
Insect Fragment	Pass	1.0	Each	1	2/10/2021 12:51:00 PM

Qualifiers:

Value exceeds Maximum Contaminant Level.

M Manual Integration used to determine area response

PL Permit Limit

RL Reporting Detection Limit

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

W Sample container temperature is out of limit as specified at testcode