Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



May 20, 2021

Bison Extracts Bison Extracts Inc 1420 S. Joplin Tulsa, OK 74112

TEL: (918) 830-4392

FAX:

RE: Super Skunk Cannabis Order No.: 2105181

**Dear Bison Extracts:** 

Green Country Testing, Inc. received 1 sample(s) on 5/7/2021 for the analyses presented in the following report.

In accordance with your instructions, Green Country Testing conducted the analysis shown on the following pages on samples submitted by your company. The results relate only to the items tested. Unless otherwise noted, all analysis were conducted using lab approved methodologies. All sampling was conducted by the client. This report shall not be reproduced except in full, without the written approval of Green Country Testing, Inc.. The PL Column on the report refers to the Permissible Limit from OOMA.

Certifications/Accreditation: OMMA# LAAA-AYUG-T2AU - OBN # 61696 - A2LA Certificate # 5537.01

Total THC Concentration =  $(THCA \times 0.877) + THC$ Total CBD Concentration =  $(CBDA \times 0.877) + CBD$ 

A scope of Certified/Accredited parameters is available upon request. If you have any questions regarding these tests results, please feel free to call.

Sincerely,

B

Brian Duzan Laboratory Director Green Country Testing, Inc. 6825 E 38th Street Tulsa, OK 74145

Tel: 918-828-9977 FAX: 918-828-7756 Website: www.greencountrytesting.com



## **Analytical Report**

(wastewater)

WO#: 2105181

Date Reported: 5/20/2021

CLIENT: Bison Extracts Inc Collection Date: 5/7/2021 10:58:00 AM

**Project:** Super Skunk Cannabis

Lab ID: 2105181-001 Matrix: CANNABIS

Client Sample ID: Super Skunk-BN#5058 Oil LN#5661

**Sample Location:** 

CANNABIS FULL PANEL W/PESTICIDES   Initial Weight or Volume   16.1   0   g   1   5/7/2021 12:49:00 PM	Analyses	Result	PQL Qual	Units	DF	PL	Date Analyzed
CANNABIS FULL PANEL W/PESTICIDES   Pass   0.196   ppm   1   0.200   5/18/2021 3:17:00 PM		6		ВА	LANCE		Analyst: AC
CANNABIS FULL PANEL W/PESTICIDES HEAVY METALS BY ICP - N  Arsenic Pass 0.196 ppm 1 0.200 5/18/2021 3:17:00 PM Cadmium Pass 0.196 ppm 1 0.200 5/18/2021 3:17:00 PM Lead Pass 0.490 ppm 1 0.500 5/18/2021 3:17:00 PM Mercury Pass 0.0980 ppm 1 0.100 5/18/2021 3:17:00 PM Mercury Pass 0.0980 ppm 1 0.100 5/18/2021 3:17:00 PM  CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N  Aspergillus flavus Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Aspergillus flavis Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Aspergillus terreus Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Aspergillus terreus Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Salmonella Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM STEC E. coli Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Yeast and Mold Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Yeast and Mold Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Abamectin Pass 0.464 ppm 1 0.500 5/13/2021 12:36:00 PM Aflatoxin B1 Pass 0.0186 ppm 1 0.0200 5/12/2021 12:17:00 PM Aflatoxin B2 Pass 0.0186 ppm 1 0.0200 5/12/2021 12:17:00 PM Aflatoxin G2 Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Aflatoxin G2 Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Bifenazate Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM Imazalil Pass 0.186 ppm 1 0.0200 5/12/2021 12:17:00 PM	Initial Weight or Volume	16.1	0	g	1		5/7/2021 12:49:00 PM
Arsenic Pass 0.196 ppm 1 0.200 5/18/2021 3:17:00 PM Cadmium Pass 0.196 ppm 1 0.200 5/18/2021 3:17:00 PM Dead Pass 0.490 ppm 1 0.500 5/18/2021 3:17:00 PM Dead Pass 0.490 ppm 1 0.500 5/18/2021 3:17:00 PM Dead Pass 0.490 ppm 1 0.500 5/18/2021 3:17:00 PM Dead Pass 0.490 ppm 1 0.500 5/18/2021 3:17:00 PM Dead Pass 0.0980 ppm 1 0.100 5/18/2021 3:17:00 PM Dead Pass 0.0980 ppm 1 0.100 5/18/2021 3:17:00 PM Dead Dead Dead Dead Dead Dead Dead Dead	Final Weight or Volume	12.7	0	g	1		5/7/2021 12:49:00 PM
Cadmium         Pass         0.196         ppm         1         0.200         5/18/2021 3:17:00 PM           Lead         Pass         0.490         ppm         1         0.500         5/18/2021 3:17:00 PM           Mercury         Pass         0.0980         ppm         1         0.500         5/18/2021 3:17:00 PM           CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N         SOP-7         -         Analyst: KP           Aspergillus fumigatus         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           Aspergillus fumigatus         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           Aspergillus terreus         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           Salmonella         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           Yeast and Mold         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           CANNABIS FULL PANEL W/PESTICIDES PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N         SOP-2         -         Analyst: KP           CANNABIS FULL PANEL W/PESTICIDES PASS         0.0186         ppm         1		8		S	SOP-4	-	Analyst: KR
Lead Mercury         Pass Pass Pass Pass Pass Pass Pass Pass	Arsenic	Pass	0.196	ppm	1	0.200	5/18/2021 3:17:00 PM
Mercury         Pass         0.0980         ppm         1         0.100         5/18/2021 3:17:00 PM           CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N           Aspergillus flavus         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           Aspergillus fumigatus         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           Aspergillus fureus         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           Salmonella         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           STEC E. coli         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           Yeast and Mold         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           CANNABIS FULL PANEL W/PESTICIDES PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N         SOP-2         -         Analyst: KP           CANNABIS FULL PANEL W/PESTICIDES PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N         Pass         0.464         ppm         1         0.500         5/12/2021 12:17:00 PM           Aflatoxin B1         Pass         0.0186         ppm <td< td=""><td>Cadmium</td><td>Pass</td><td>0.196</td><td>ppm</td><td>1</td><td>0.200</td><td>5/18/2021 3:17:00 PM</td></td<>	Cadmium	Pass	0.196	ppm	1	0.200	5/18/2021 3:17:00 PM
CANNABIS FULL PANEL W/PESTICIDES CANNABIS MICROBIALS - N  Aspergillus flavus  Aspergillus fumigatus  Aspergillus niger  Aspergillus terreus  Pass  O  CFU/g  1  0.900  5/13/2021 12:36:00 PM  CANNABIS FULL PANEL W/PESTICIDES  PESTICIDE RESIDUE IN CANNABIS - N  Abamectin  Abamectin  Abamectin  Abamectin  Alatoxin B1  Apass  0.0186  ppm  1  0.0200  5/12/2021 12:17:00 PM  Aflatoxin G2  Apass  0.0186  ppm  1  0.0200  5/12/2021 12:17:00 PM  Aflatoxin G2  Azoxystrobin  Pass  0.186  ppm  1  0.200  5/12/2021 12:17:00 PM  Bifenazate  Pass  0.186  ppm  1  0.200  5/12/2021 12:17:00 PM  Bifenazate  Pass  0.186  ppm  1  0.200  5/12/2021 12:17:00 PM  Bifenazate  Pass  0.186  ppm  1  0.200  5/12/2021 12:17:00 PM  Bifenazate  Pass  0.186  ppm  1  0.200  5/12/2021 12:17:00 PM  Bifenazate  Pass  0.186  ppm  1  0.200  5/12/2021 12:17:00 PM  Bifenazate  Pass  0.186  ppm  1  0.200  5/12/2021 12:17:00 PM  Bifenazate  Pass  0.186  ppm  1  0.200  5/12/2021 12:17:00 PM  Bifenazate  Pass  0.186  ppm  1  0.200  5/12/2021 12:17:00 PM	Lead	Pass	0.490	ppm	1	0.500	5/18/2021 3:17:00 PM
Aspergillus flavus Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Aspergillus furnigatus Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Aspergillus niger Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Aspergillus niger Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Aspergillus terreus Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Salmonella Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM STEC E. coli Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM STEC E. coli Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM Yeast and Mold Pass 0 CFU/g 1 0.900 5/13/2021 12:36:00 PM CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N  Abamectin Pass 0.464 ppm 1 0.500 5/12/2021 12:17:00 PM Aflatoxin B1 Pass 0.0186 ppm 1 0.0200 5/12/2021 12:17:00 PM Aflatoxin G2 Pass 0.0186 ppm 1 0.0200 5/12/2021 12:17:00 PM Aflatoxin G2 Pass 0.0186 ppm 1 0.0200 5/12/2021 12:17:00 PM Aflatoxin G2 Pass 0.0186 ppm 1 0.0200 5/12/2021 12:17:00 PM Azoxystrobin Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Bifenazate Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Bifenazate Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Etoxazole Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Inazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM Ina	Mercury	Pass	0.0980	ppm	1	0.100	5/18/2021 3:17:00 PM
Aspergillus fumigatus		5		S	SOP-7	-	Analyst: <b>KP</b>
Aspergillus fumigatus	Aspergillus flavus	Pass	0	CFU/g	1	0.900	5/13/2021 12:36:00 PM
Aspergillus niger	Aspergillus fumigatus	Pass	0	CFU/g	1	0.900	5/13/2021 12:36:00 PM
Salmonella         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           STEC E. coli         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           Yeast and Mold         Pass         0         CFU/g         1         10,000         5/13/2021 12:36:00 PM           CANNABIS FULL PANEL W/PESTICIDES PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N           Abamectin         Pass         0.464         ppm         1         0.500         5/12/2021 12:17:00 PM           Aflatoxin B1         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Aflatoxin B2         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Aflatoxin G1         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Aflatoxin G2         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Azoxystrobin         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Bifenazate         Pass         0.186         ppm         1         0.200         <	Aspergillus niger	Pass	0	CFU/g	1	0.900	5/13/2021 12:36:00 PM
STEC E. coli         Pass         0         CFU/g         1         0.900         5/13/2021 12:36:00 PM           CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N           SOP-2         -         Analyst: KP           PESTICIDE RESIDUE IN CANNABIS - N         Pass         0.464         ppm         1         0.500         5/12/2021 12:17:00 PM           Aflatoxin B1         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Aflatoxin B2         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Aflatoxin G1         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Aflatoxin G2         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Azoxystrobin         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Bifenazate         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Etoxazole         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Imazalil	Aspergillus terreus	Pass	0	CFU/g	1	0.900	5/13/2021 12:36:00 PM
Yeast and Mold         Pass         0         CFU/g         1         10,000         5/13/2021         12:36:00 PM           CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N           SOP-2         -         Analyst:         KP           PESTICIDE RESIDUE IN CANNABIS - N         Pass         0.464         ppm         1         0.500         5/12/2021         12:17:00 PM           Aflatoxin B1         Pass         0.0186         ppm         1         0.0200         5/12/2021         12:17:00 PM           Aflatoxin B2         Pass         0.0186         ppm         1         0.0200         5/12/2021         12:17:00 PM           Aflatoxin G1         Pass         0.0186         ppm         1         0.0200         5/12/2021         12:17:00 PM           Aflatoxin G2         Pass         0.0186         ppm         1         0.0200         5/12/2021         12:17:00 PM           Azoxystrobin         Pass         0.186         ppm         1         0.200         5/12/2021         12:17:00 PM           Bifenazate         Pass         0.186         ppm         1         0.200         5/12/2021         12:17:00 PM           Etoxazole         Pass         0.186 <td>Salmonella</td> <td>Pass</td> <td>0</td> <td>CFU/g</td> <td>1</td> <td>0.900</td> <td>5/13/2021 12:36:00 PM</td>	Salmonella	Pass	0	CFU/g	1	0.900	5/13/2021 12:36:00 PM
CANNABIS FULL PANEL W/PESTICIDES PESTICIDE RESIDUE IN CANNABIS - N  Abamectin Aflatoxin B1 Aflatoxin B2 Aflatoxin G1 Aflatoxin G2 Aflatoxin G2 Azoxystrobin Bifenazate Bifenazat	STEC E. coli	Pass	0	CFU/g	1	0.900	5/13/2021 12:36:00 PM
PESTICIDE RESIDUE IN CANNABIS - N           Abamectin         Pass         0.464         ppm         1         0.500         5/12/2021 12:17:00 PM           Aflatoxin B1         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Aflatoxin B2         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Aflatoxin G1         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Aflatoxin G2         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Azoxystrobin         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Bifenazate         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Etoxazole         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Imazalii         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM	Yeast and Mold	Pass	0	CFU/g	1	10,000	5/13/2021 12:36:00 PM
Aflatoxin B1       Pass       0.0186       ppm       1       0.0200       5/12/2021 12:17:00 PM         Aflatoxin B2       Pass       0.0186       ppm       1       0.0200       5/12/2021 12:17:00 PM         Aflatoxin G1       Pass       0.0186       ppm       1       0.0200       5/12/2021 12:17:00 PM         Aflatoxin G2       Pass       0.0186       ppm       1       0.0200       5/12/2021 12:17:00 PM         Azoxystrobin       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM         Bifenazate       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM         Etoxazole       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM         Imazalil       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM		3		s	SOP-2	-	Analyst: <b>KP</b>
Aflatoxin B2       Pass       0.0186       ppm       1       0.0200       5/12/2021 12:17:00 PM         Aflatoxin G1       Pass       0.0186       ppm       1       0.0200       5/12/2021 12:17:00 PM         Aflatoxin G2       Pass       0.0186       ppm       1       0.0200       5/12/2021 12:17:00 PM         Azoxystrobin       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM         Bifenazate       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM         Etoxazole       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM         Imazalil       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM	Abamectin	Pass	0.464	ppm	1	0.500	5/12/2021 12:17:00 PM
Aflatoxin G1       Pass       0.0186       ppm       1       0.0200       5/12/2021 12:17:00 PM         Aflatoxin G2       Pass       0.0186       ppm       1       0.0200       5/12/2021 12:17:00 PM         Azoxystrobin       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM         Bifenazate       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM         Etoxazole       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM         Imazalil       Pass       0.186       ppm       1       0.200       5/12/2021 12:17:00 PM	Aflatoxin B1	Pass	0.0186	ppm	1	0.0200	5/12/2021 12:17:00 PM
Aflatoxin G2         Pass         0.0186         ppm         1         0.0200         5/12/2021 12:17:00 PM           Azoxystrobin         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Bifenazate         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Etoxazole         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Imazalil         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM	Aflatoxin B2	Pass	0.0186	ppm	1	0.0200	5/12/2021 12:17:00 PM
Azoxystrobin         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Bifenazate         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Etoxazole         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Imazalil         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM	Aflatoxin G1	Pass	0.0186		1	0.0200	5/12/2021 12:17:00 PM
Bifenazate         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Etoxazole         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Imazalil         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM	Aflatoxin G2	Pass	0.0186	ppm	1	0.0200	5/12/2021 12:17:00 PM
Etoxazole         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM           Imazalil         Pass         0.186         ppm         1         0.200         5/12/2021 12:17:00 PM	Azoxystrobin	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Imazalil Pass 0.186 ppm 1 0.200 5/12/2021 12:17:00 PM	Bifenazate	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
• • • • • • • • • • • • • • • • • • • •	Etoxazole	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Imidacloprid Pass 0.371 ppm 1 0.400 5/12/2021 12:17:00 PM	Imazalil	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
	Imidacloprid	Pass	0.371	ppm	1	0.400	5/12/2021 12:17:00 PM

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- M Manual Integration used to determine area response
- PL Permit Limit
- RL Reporting Detection Limit

- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- W Sample container temperature is out of limit as specified at testcode

Green Country Testing, Inc. 6825 E 38th Street

Tulsa, OK 74145

TEL: 918-828-9977 FAX: 918-828-7756

Website: www.greencountrytesting.com



## **Analytical Report**

(wastewater)

WO#: 2105181 Date Reported: 5/20/2021

**CLIENT:** Bison Extracts Inc **Collection Date:** 5/7/2021 10:58:00 AM

**Project:** Super Skunk Cannabis

Lab ID: 2105181-001 Matrix: CANNABIS

Client Sample ID: Super Skunk-BN#5058 Oil LN#5661

**Sample Location:** 

Analyses	Result	PQL Qu	al Units	DF	PL	Date Analyzed
CANNABIS FULL PANEL W/PESTICII PESTICIDE RESIDUE IN CANNABIS -				SOP-2	-	Analyst: <b>KP</b>
Malathion	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Myclobutanil	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Ochratoxin	Pass	0.0186	ppm	1	0.0200	5/12/2021 12:17:00 PM
Permethrin (cis&trans)	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Permethrin-cis	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Permethrin-trans	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Spinosad	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Spinosyn A	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Spinosyn D	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Spiromesifen	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Spirotetramat	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Tebuconazole	Pass	0.371	ppm	1	0.400	5/12/2021 12:17:00 PM
Total Permethrin	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
Total Spinosad	Pass	0.186	ppm	1	0.200	5/12/2021 12:17:00 PM
CANNABIS FULL PANEL W/PESTICII POTENCY IN CANNABIS - N	DES			SOP-1	-	Analyst: JR
Cannabidiol (CBD)	< 0.610	0.610	wt%	1		5/10/2021 3:09:00 PM
Cannabidiolic Acid (CBDA)	< 0.610	0.610	wt%	1		5/10/2021 3:09:00 PM
Cannabigerol (CBG)	0.950	0.610	wt%	1		5/10/2021 3:09:00 PM
Cannabigerolic Acid (CBGA)	< 0.610	0.610	wt%	1		5/10/2021 3:09:00 PM
Cannabinol (CBN)	< 0.610	0.610	wt%	1		5/10/2021 3:09:00 PM
Tetrahydrocannabinol (THC)	65.3	0.610	wt%	1		5/10/2021 3:09:00 PM
Tetrahydrocannabinolic Acid (THCA)	10.1	0.610	wt%	1		5/10/2021 3:09:00 PM
THC - Delta 8	< 0.610	0.610	wt%	1		5/10/2021 3:09:00 PM
Total CBD (CBDAx0.877)+CBD	< 0.610	0.610	wt%	1		5/10/2021 3:09:00 PM
Total CBG (CBGAx0.878)+CBG	0.950	0.610	wt%	1		5/10/2021 3:09:00 PM
Total THC (THCAx0.877)+THC	74.1	0.610	wt%	1		5/10/2021 3:09:00 PM
CANNABIS FULL PANEL W/PESTICII RESIDUAL SOLVENTS IN CANNABIS				SOP-3	-	Analyst: <b>BWI</b>
Acetone	Pass	974	ppm	1	1,000	5/20/2021 12:34:00 AM

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- M Manual Integration used to determine area response
- PL Permit Limit
- Reporting Detection Limit

- Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits
- Sample container temperature is out of limit as specified at testcode

Green Country Testing, Inc. 6825 E 38th Street

Tulsa, OK 74145

TEL: 918-828-9977 FAX: 918-828-7756 Website: www.greencountrytesting.com



## **Analytical Report**

(wastewater)

WO#: 2105181

Date Reported: 5/20/2021

CLIENT: Bison Extracts Inc Collection Date: 5/7/2021 10:58:00 AM

**Project:** Super Skunk Cannabis

Lab ID: 2105181-001 Matrix: CANNABIS

Client Sample ID: Super Skunk-BN#5058 Oil LN#5661

**Sample Location:** 

Analyses	Result	PQL Qual	Units	DF	PL	Date Analyzed
CANNABIS FULL PANEL W/PESTICID RESIDUAL SOLVENTS IN CANNABIS				SOP-3	-	Analyst: <b>BW</b> [
Benzene	Pass	1.95	ppm	1	2.00	5/20/2021 12:34:00 AM
Ethanol	Pass	4,870	ppm	1	5,000	5/20/2021 12:34:00 AM
Heptane	Pass	974	ppm	1	1,000	5/20/2021 12:34:00 AM
Hexane	Pass	58.4	ppm	1	60.0	5/20/2021 12:34:00 AM
Isobutane	Pass	974	ppm	1	1,000	5/20/2021 12:34:00 AM
Isopropyl alcohol	Pass	974	ppm	1	1,000	5/20/2021 12:34:00 AM
m&p-Xylene	Pass	419	ppm	1	1,000	5/20/2021 12:34:00 AM
Methanol	Pass	584	ppm	1	600	5/20/2021 12:34:00 AM
n-Butane	Pass	974	ppm	1	1,000	5/20/2021 12:34:00 AM
o-Xylene	Pass	419	ppm	1	1,000	5/20/2021 12:34:00 AM
Pentane	Pass	974	ppm	1	1,000	5/20/2021 12:34:00 AM
Propane	Pass	974	ppm	1	1,000	5/20/2021 12:34:00 AM
Toluene	Pass	175	ppm	1	180	5/20/2021 12:34:00 AM
Total Butane	Pass	974	ppm	1	1,000	5/20/2021 12:34:00 AM
Total xylenes	Pass	419	ppm	1	430	5/20/2021 12:34:00 AM
CANNABIS FULL PANEL W/PESTICID TERPENES IN CANNABIS - N	ES			SOP-5	-	Analyst: <b>BWI</b>
(-)-alpha-Bisabolol	311	111	ppm	1		5/11/2021 12:41:00 PM
(-)-beta-Pinene	< 111	111	ppm	1		5/11/2021 12:41:00 PM
(-)-Guaiol	185	111	ppm	1		5/11/2021 12:41:00 PM
(-)-Isopulegol	< 111	111	ppm	1		5/11/2021 12:41:00 PM
1,8-Cineole	228	111	ppm	1		5/11/2021 12:41:00 PM
alpha-Humulene	2,610	111	ppm	1		5/11/2021 12:41:00 PM
alpha-Ocimene	391	111	ppm	1		5/11/2021 12:41:00 PM
alpha-Pinene	462	111	ppm	1		5/11/2021 12:41:00 PM
alpha-Terpinene	121	111	ppm	1		5/11/2021 12:41:00 PM
beta-Caryophyllene	3,850	111	ppm	1		5/11/2021 12:41:00 PM
beta-Myrcene	1,270	111	ppm	1		5/11/2021 12:41:00 PM
beta-Ocimene	331	111	ppm	1		5/11/2021 12:41:00 PM
Camphene	317	111	ppm	1		5/11/2021 12:41:00 PM
Caryophyllene oxide	< 111	111	ppm	1		5/11/2021 12:41:00 PM

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- M Manual Integration used to determine area response
- PL Permit Limit
- RL Reporting Detection Limit

- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- W Sample container temperature is out of limit as specified at testcode

Green Country Testing, Inc. 6825 E 38th Street Tulsa, OK 74145

TEL: 918-828-9977 FAX: 918-828-7756 Website: www.greencountrytesting.com



## **Analytical Report**

(wastewater)

WO#: 2105181 Date Reported: 5/20/2021

CLIENT: Bison Extracts Inc Collection Date: 5/7/2021 10:58:00 AM

**Project:** Super Skunk Cannabis

Lab ID: 2105181-001 Matrix: CANNABIS

Client Sample ID: Super Skunk-BN#5058 Oil LN#5661

**Sample Location:** 

Analyses	Result	PQL Qu	al Units	DF PL	Date Analyzed
CANNABIS FULL PANEL W/PEST TERPENES IN CANNABIS - N	TICIDES .		;	SOP-5 -	Analyst: <b>BWI</b>
cis-Nerolidol	6,100	111	ppm	1	5/11/2021 12:41:00 PM
delta-3-Carene	< 111	111	ppm	1	5/11/2021 12:41:00 PM
D-Limonene	2,280	111	ppm	1	5/11/2021 12:41:00 PM
gamma-Terpinene	< 111	111	ppm	1	5/11/2021 12:41:00 PM
Geraniol	< 111	111	ppm	1	5/11/2021 12:41:00 PM
Linalool	2,530	111	ppm	1	5/11/2021 12:41:00 PM
p-Isopropyltoluene	< 111	111	ppm	1	5/11/2021 12:41:00 PM
Terpinolene	292	111	ppm	1	5/11/2021 12:41:00 PM
Total Terpene Percentage	3.06	0	%	1	5/11/2021 12:41:00 PM
Total Terpenes	30,600	0	ppm	1	5/11/2021 12:41:00 PM
trans-Nerolidol	9,380	111	ppm	1	5/11/2021 12:41:00 PM
CANNABIS FULL PANEL W/PEST VISUAL INSPECTION OF CANNA			IICROS	SCOPE 180	Analyst: AC
1/4 area Foreign Material	Pass	1.0	Each	1	5/7/2021 1:37:00 PM
1/4 area Mold	Pass	1.0	Each	1	5/7/2021 1:37:00 PM
1/4 area Soil / Dirt / Sand	Pass	1.0	Each	1	5/7/2021 1:37:00 PM
Excreta, Mammalian	Pass	1.0	Each	1	5/7/2021 1:37:00 PM
Hair, Human	Pass	1.0	Each	1	5/7/2021 1:37:00 PM
Hair, Rodent	Pass	1.0	Each	1	5/7/2021 1:37:00 PM
Insect Fragment	Pass	1.0	Each	1	5/7/2021 1:37:00 PM

Qualifiers:

Value exceeds Maximum Contaminant Level.

M Manual Integration used to determine area response

PL Permit Limit

RL Reporting Detection Limit

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

W Sample container temperature is out of limit as specified at testcode